



Face Recognition **Terminal**

Dual Biometric Time Attendance Machine









Face

Fingerprint





Card

Password

Usb

Excel



With its contactless biometrics technology, Timetera's A350 strong facial recognition terminal can identify a person's face in just a few seconds for precise attendance reporting. Face recognition algorithms loaded with dual HD infrared cameras make it easier and faster to identify facial features during registration and verification. The high-resolution camera and infrared function also make face recognition possible even in low light. The device has been functionally customised and is ready to be used for time attendance. For small and medium-sized businesses as well as those in need of a dependable, contactless solution, the A350 is an excellent option.

Ergonomically Designed

The A350's design was specifically created to make it simple to align and position your face for a quick and painless verification.

Dual HD Infrared camera

Fast camera respond to capture attendance even at low liaht.



Multi-Verification Methods

You have multiple verification options with A350. Verify yourself using face, Finger, card, or even by password.

Elegant Design

Gloss black finishing with leather texture. Solid device and exclusive look.



Plug and Play

A350 is easy to operate, connect it to the power source and it's ready to roll!

Excel Report

User friendly In Out Report with LATE and early out highlighted.

		Section1		Section2		
ite	week	IN	ОИТ	IN	ОИТ	IN
0.01	MON					\Box
0.02	TUE					
0.03	WED	08:10	13:07	13:48		
0.04	THU	08:14	13:02	13:49	18:07	
0.05	FRI	08:00	12:36		18:09	
0.06	SAT	Rest				
0.07	SUN	Rest				
0.08	MON	08:29	13:11	13:47	18:09	
0.09	TUE	08:28	13:07	13:49	18:13	
0.10	WED	08:27	13:09	13:42		
0.11	THU	08:26	13:09	13:34	18:13	
0.12	FRI	09:50	12:38	14:02		

SPECIFICATIONS				
Os	Bio TH2.0			
Mode	Standalone			
Verify Mode	Face, Finger, Card, Password			
Finger	5,000			
Card	5,000			
Face	1,000			
Transaction	300,000			
Communication	USB			
Optional	Backup Battery			
Power Supply	DC9V			
Working Humidity	28% - 80%			
Working Temperature	0°C ~ 25°C			
Build-in Bell	Schedule Bell			
Display	2.8" TFT Color Screen			









Door Access Ready!







